

no. 24 Ceramic tiles, glazed



cleaning system without treatment end of construction

 date	<u>; </u>	object
customer		address
representative		room classification
= -		

work process: select one work stage from each number

_	process. select one work stage from each ha						
	•	recommendations		recommendations	recommendations		
\searrow	cleaning method	* chemical products	dosage	* pad / brush / mop / cloth	machine / tool	comments	
				Dust roller nozzle	Twinvac /		
1	dry vacuum cleaning			Neverclog filter without ring	Duovac /		
				Filter bag with ring	Silento /		
	• vacuum swooning				Speedmatic Twister	largo aroas:	2
1	vacuum sweeping sweeping				Turbo Sweep	large areas:	m
	sweeping				·	sweeping	
	- I duation			Masslinn 2000/Floorwit white	Balit Varifix/		
2	dusting				Balit/		
	damp mopping						
	cleaning without maintenance						
	wet mopping direct method	Ecofloor	0.5 - 1%	Micro-Mop Top/	Socar / Drewell		
3		V Reshine	3 - 5%	Microsol mop/			is.
	T/II direct method	V Antiwax forte	2 - 5%	·			
	a corubbor draing	Ecofloor	0.5 - 1%	Microsol fibre pad/	Duomatic / Laser		
3	scrubber drying	V Reshine	3 - 5%	S O Scrubbing brush washbeton/	Mambo / Samba		
	direct method	V Antiwax forte	2 - 5%	S O Scrubbing brush PP/	Sprinter / iMatic		
	• • • • • • • • • • • • • • • • • • • •	Reshine	3 - 5%	Microsol fibre pad/	Monomatic LS /		\wedge
3	wet scrubbing and	Antiwax forte	2 - 5%	S O Scrubbing brush washbeton/	Watertank	heavily soiled	(TOTO)
	wet vacuuming				Duovac /		
	• /						
3	stain removal	See cleaning instruct	ion no 41				

^{*} basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled



no. 24 Ceramic tiles, glazed



maintenance cleaning					object		date		_
				ad	ddress		customer		
work	process: select one work stage from e	each nur	mber	room classif	cation		representative		
	cleaning method	frequ encv	recommendations * chemical products	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments	
1	dusting damp mopping								
1	dry vacuum cleaning				S	Dust roller nozzle	Monovac / Scuba		
2	chewing gum removal		Karpfrost Karpotek	100%				if needed	
	cleaning without maintenance								
3	wet mopping direct method		Ecofloor Reshine Biosan	0.5 - 1% 1 - 2% 0.8 - 1.5%		Micro-Mop Top/ Mop Microbrush/ Mop Variwet	Wetbox system Socar / Drewell		
3	scrubber drying direct method		Ecofloor Reshine Ceratop	0.5 - 1% 1 - 2% 0.5 - 1%	s S	Microsol fibre pad/ Scrubbing brush PP/	Duomatic / Laser Mambo / Samba Sprinter / iMatic		
3	foam cleaning		See cleaning instruct	ion no 42					

^{*} basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

no. 24 Ceramic tiles, glazed



	interim cleaning				objec ddres:		date customer	-	
work	process: select one work stage from	each nur	nber	room classifi			representative		
	cleaning method	frequ ency	recommendations * chemical products	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments	
1	dusting damp mopping					Masslinn 2000/Floorwit white Synthetic fur	Balit Varifix/ Balit/		
1	dry vacuum cleaning	g []			S	Dust roller nozzle	Monovac / Scuba		
2	chewing gum removal		Karpfrost Karpotek	100%				if needed	
	cleaning without maintenance								
3	wet mopping indirect method		Reshine Ceratop Polex	3 - 5% 2 - 5% 2 - 4%	S	Micro-Mop Top/ Mop Microbrush/ Flat mop/	Wetbox system Socar / Drewell		
3	scrubber drying indirect method		Reshine Ceratop Polex	3 - 5% 2 - 5% 2 - 4%	s ©	Microsol fibre pad/	Duomatic / Laser Mambo / Samba Sprinter / iMatic		<u> </u>
3	foam cleaning		See cleaning instruc						
4	wet mopping direct method		Biosan	3%	S	Micro-Mop Top/ Mop Microbrush/ Flat mop/	Socar / Drewell Wetbox system Variwet / B. Varifix	if needed, bad smell could be removed with	

^{*} basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled



no. 24 Ceramic tiles, glazed



	basic cleaning				objec		date	
				a	ddres	s	customer	
work	process: select one work stage from	each num	nber	room classif	icatio	n	representative	
	cleaning method	frequ encv	recommendations * chemical products	dosage	*	recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
		ency	chemical products	uosaye		Masslinn 2000/Floorwit white		Comments
1	dusting damp mopping					Synthetic fur	Balit/	
4		. :;			S	Dust roller nozzle	Monovac /	
1	dry vacuum cleaning	" [;					Scuba	
2	chewing gum removal		Karpfrost Karpotek	100%				if needed
	cleaning without maintenance							
3	wet scrubbing and wet vacuuming		Antiwax forte Remat forte	30 - 50% 10 - 20%		Microsol fibre pad/ Scrubbing brush washbeton/	Monomatic I / Watertank Duovac /	
3	scrubber drying indirect method		Antiwax forte Remat	30 - 50% 10 - 20%		Microsol fibre pad/ Scrubbing brush PP/	Duomatic / Laser Mambo / Samba Sprinter / iMatic	m Control of the cont
3	foam cleaning		See cleaning instruct	ion no 42				
4	rinsing		pure water		s ©	Microsol fibre pad/ Scrubbing brush washbeton/ Scrubbing brush PP/	Monomatic I / Duovac / Duomatic / Laser	рН 7
5	stain removal		See cleaning instruct	ion no 41				if needed
7	wet mopping direct method		Biosan	3%	S	Micro-Mop Top / Mop Microbrush/ Flat mop/	Socar / Drewell Wetbox system Variwet / B. Varifix	if needed, bad smell could be removed with

^{*} basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled



no. 24 Ceramic tiles, glazed



Information about the flooring



Wetrok AG cannot accept any liability for damages due to improper use.

For security information, see the safety data sheet at www.wetrok.ch.

Wear protection: gloves, safety goggles, work clothes

Follow the information and remarks on the label, product data sheet and material safety data sheet.

The product data sheet describes the product and gives information about its application, storage. See www.wetrok.ch

The recommended colours of pad and brushes consist to the actual wWetrok product range

Follow the special cleaning and care instructions of the floor manufacturer

The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



Most grouts are acid sensitive. Soak the joints well before using acidic cleaners.

The glaze is sensitive to scratching. Do not use abrasive pads or brushes!

Ceramic floor coverings are generally acid resistant.

Souring can cause discolouration in the glaze. Check the glaze for acid resistance beforehand.

Do not use wipe and care cleaners in wet rooms and hygiene rooms

Do not use maintenance products on glazed tiles.



Ceramic floor coverings are heterogeneous products made from clay and aggregates such as feldspar and fluorite.

The higher the firing temperature and the longer the time spent in the oven, the denser and more strongly sintered the ceramic will be.

Earthenware: high water absorption (approx. 1,000 °C), glazed earthenware: low water absorption (1,300 °C).

The glaze is melted in a second firing.

Slip resistance in commercial areas: classification R9 - R13 (low to very high) and V4 - V10, in bare foot areas A,B,C.



Remove loose dirt before every cleaning, damp mop smooth floors and vacuum structured floors.

Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.

Test on an inconspicuous spot to find which product is suitable for your requirements.

Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.

Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us.

For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or academy@wetrok.ch.

Wetrok AG Steinackerstrasse 62, CH-8302 Kloten, Tel +41 (0)43 255 51 51, info@wetrok.ch, www.wetrok.ch, www.wetrok.com