

General instructions for cleaning and care

no. 82 Carpet (synthetic fibre)













**cleaning system without treatment
end of construction**

object _____
address _____
room classification _____

date _____
customer _____
representative _____

work process: select one work stage from each number

		cleaning method	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments	
1		brush vacuum cleaning			S S	Karpawel Monovac / Picojet	for durable flooring only	
1		dry vacuum cleaning			V S Dust roller nozzle V S Neverclog filter without ring V S Filter bag with ring	Twinvac Duovac Silento	large areas: sweeping	
1		vacuum sweeping sweeping			Carpet set - Twister	Speedmatic Twister Master Sweep Turbo Sweep	large areas: sweeping	<div>2 m</div>
2		chewing gum removal	Karpfrost Karpotek	100%		Monovac Scuba	repeat until clean	
3		stain removal	See cleaning instruction no 84				if needed	
first protective treatment (with the same product as in maintenance cleaning)								
4		spraying	Libero	100%		Fixomat	if needed	 

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

General instructions for cleaning and care

no.82 Carpet (synthetic fibre)



maintenance cleaning

object _____

date _____







address _____

customer _____

room classification _____

representative _____

work process: select one work stage from each number

	cleaning method	frequency	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 brush vacuum cleaning	<input type="checkbox"/>			S S	Karpawel Monovac / Picojet	for durable flooring only
1	 dry vacuum cleaning	<input type="checkbox"/>			Dust roller nozzle Combi-nozzle	Monovac Scuba	large areas: sweeping
1	 vacuum sweeping sweeping	<input type="checkbox"/>			Carpet set - Twister	Speedmatic Twister Master Sweep Turbo Sweep	large areas: sweeping <div>2 m</div>
2	 chewing gum removal	<input type="checkbox"/>	Karpfrost Karpotek	100%		Monovac Scuba	repeat until clean 
3	 stain removal	<input type="checkbox"/>	Siehe Reinigungs- und Pflegeanleitung Nr. 84				if needed

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

General instructions for cleaning and care

no.82 Carpet (synthetic fibre)



interim cleaning

object _____

date _____























address _____

customer _____

room classification _____

representative _____

work process: select one work stage from each number

	cleaning method	frequency	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 brush vacuum cleaning	<input type="checkbox"/>				Karpawel Monovac / Picojet	for durable flooring only
1	 vacuum sweeping	<input type="checkbox"/>			Main brush Carpet	Speedmatic Twister Master Sweep Turbo Sweep	large areas: sweeping <div>2 m</div>
2	 stain removal	<input type="checkbox"/>	Siehe Reinigungs- und Pflegeanleitung Nr. 84				if needed
cleaning without maintenance							
3	 carpet pad method	<input type="checkbox"/>	Karpex Retex	3 - 10% 3 - 10%	 Carpet pad	Monomatic I Fixomat Monomatic LS	for durable flooring only
3	 wet shampooing	<input type="checkbox"/>	Shampoo	5 - 8%	 Shampooing brush V  Shampooing brush hard	Monomatic I Watertank Karpawel	for durable flooring only  
3	 spray extraction, direct method	<input type="checkbox"/>	V Karpex Retex Fomstop	3 - 10% 3 - 10% 10 - 20%	Hard floor nozzle Spray nozzle for walls	Extravac	 
4	 brush vacuum cleaning	<input type="checkbox"/>				Karpawel Monovac / Picojet	Always after shampooing, on a dry surface
cleaning with maintenance							
3	 carpet pad method	<input type="checkbox"/>	Libero	100%	 Carpet pad	Monomatic I Fixomat Monomatic LS	for durable flooring only
3	 spray extraction, direct method	<input type="checkbox"/>	Libero Fomstop	20% 10 - 20%	Hard floor nozzle Spray nozzle for walls	Extravac	carpet should be pretreated with Libero  
4	 spraying	<input type="checkbox"/>	Libero	100%		Fixomat	if needed  

General instructions for cleaning and care

no.82 Carpet (synthetic fibre)



basic cleaning

object _____

date _____



















address _____

customer _____

room classification _____

representative _____

work process: select one work stage from each number

	cleaning method	frequency	* recommendations chemical products	dosage	* recommendations pad / brush / mop / cloth	recommendations machine / tool	comments
1	 brush vacuum cleaning	<input type="checkbox"/>				Karpawel Monovac / Picojet	for durable flooring only
2	 chewing gum removal	<input type="checkbox"/>	Karpfrost Karpotek	100%		Monovac Scuba	repeat until clean 
3	 stain removal	<input type="checkbox"/>	Siehe Reinigungs- und Pflegeanleitung Nr. 84				if needed
cleaning without maintenance							
4	 spray extraction, indirect method	<input type="checkbox"/>	Karpex Retex Fomstop	3 - 10% 3 - 10% 10 - 20%	Hard floor nozzle Spray nozzle for walls	Extravac Fixomat	 
5	 wet shampooing and spray extraction	<input type="checkbox"/>	Karpex Retex Fomstop	3 - 10% 3 - 10% 10 - 20%	 Shampooing brush V  Shampooing brush hard	Monomatic I Watertank Extravac	heavily soiled  
6	 spraying	<input type="checkbox"/>	Biosan	3%		Fixomat	if needed, bad smell could be removed with  
first protective treatment (with the same product as in interim cleaning)							
6	 spraying	<input type="checkbox"/>	Libero	100%		Fixomat	observe drying time  

* basic treatment / structure: B: coated / C: waxed / D: oiled / E: sealed / F: untreated / G: maintenance care product / P: polishing / S: structured / V: heavily soiled

important: before protective treatment: the floor must be perfectly stripped, thoroughly rinsed and completely dry!

General instructions for cleaning and care

no. 82 Carpet (synthetic fibre)



Information about the flooring



Wetrok AG cannot accept any liability for damages due to improper use.
For security information, see the safety data sheet at www.wetrok.ch.
Wear protection: gloves, safety goggles, work clothes
Follow the information and remarks on the label, product data sheet and material safety data sheet.
The product data sheet describes the product and gives information about its application, storage. See www.wetrok.ch
The recommended colours of pad and brushes consist to the actual wWetrok product range
Follow the special cleaning and care instructions of the floor manufacturer
The cleaning and care instructions are recommendations and suggestions and apply to floorings in object quality.



Acetate, jute, camel hair, silk and wool, among others, are alkaline sensitive.
Acetate, wool, polyamide, among others, are acid sensitive.
Acetate (acetone) and polyacrylic, among others, are solvent sensitive.
Remove stains as quickly as possible. Fresh stains are easier to remove than old ones.

Before wet cleaning, check whether the underside, the backing material and the base material are insensitive to water.
Take care when wet cleaning raised floors and use very little cleaning solution.
Turn off in-floor heating 24 hours before wet cleaning.



Depending on the manufacturing process and the surface, a distinction is made between loop fabric (Reps, Berber, bouclé), cut pile (velour) and needle felt.
The materials used (pile fabric, base material, backing material) determine the system used to clean textile floor coverings.

Distinguishing feature: fire assay: scrape off and set fire to a little fibrous material: wool smells like burnt hair and synthetic fibres melt.



Vacuum textile floors before each cleaning.
Cleaning agents and surface treatments may alter the appearance and properties of a floor's surface.
Test on an inconspicuous spot to find which product is suitable for your requirements.
Test beforehand on an inconspicuous spot to see if the cleaning agent or surface treatment damages the floor.
Dirt-trapping zones, incl. dirt-trapping mats (Wetrok Gardamat) in the entrance, at least 7m long, greatly reduce the amount of dirt tracked into the building.

If you have any questions, please don't hesitate to contact us.
For training courses, contact the Wetrok Academy, tel. +41 (0)43 255 51 43 or academy@wetrok.ch.